



Features & benefits ↓

- Flexible
- 4:1 safety ratio

Standard supplied with ↓

- Male and female air coupler







Available on request ↓

- Different lengths and colours








Lifting Bags - Hoses ↓

model	AH 5 YU	AH 5 BU	AH 5 RU	AH 10 YU	AH 10 BU	AH 10 RU
art no	350.572.006	350.572.007	350.572.008	350.572.009	350.572.011	350.572.012
max. working pressure	bar/Mpa	16 / 1.6	16 / 1.6	16 / 1.6	16 / 1.6	16 / 1.6
color	yellow	blue	red	yellow	blue	red
length	m	5	5	10	10	10
temperature range	°C	-20 + 80	-20 + 80	-20 + 80	-20 + 80	-20 + 80



Lifting Bags - Operating Valves


image	description	model	art no
	Single control unit • For the control of 1 high-pressure lifting bag • Safety valves set at 8.5 bars	SCV 10 U	350.582.042
	Double control unit • For the control of 2 high-pressure lifting bags • Safety valves set at 8.5 bars	DCV 10 U	350.582.034
	Triple control unit • For the control of 3 high-pressure lifting bags • Safety valves set at 8.5 bars	TCV 10 U	350.582.059
	Quadruple control unit • For the control of 4 high-pressure lifting bags • Safety valves set at 8.5 bars	QCV 10 U	350.582.060
	Synthetic control box • For operation of 2 lifting bags • Safety valves set at 8.5 bar	HDC 10 AU	350.182.003
	Synthetic control box • For operation of 2 lifting bags • Safety valves set at 0,85 MPa	HDC 10 AJU	350.182.004

Lifting Bags - Accessories


image	description	model	art no
	Shut-off hose with safety • To close high-pressure lifting bags while remaining under pressure in order to use hose and air source elsewhere	-	350.582.035
	Air bottle, 200 bar, 6 litres • For use with all air operated tools and pumps	-	350.581.086
	Air bottle, 300 bar, 6 litres • For use with all air operated tools and pumps	-	350.581.096
	Connection piece • For connection of 2 air bottles 200 bar	-	350.582.420
	Connection piece • For connection of 2 air bottles 300 bar	-	350.582.430
	Pressure reducer • For both 200 and 300 air bottles • Complete with hose 2 m	PRV 823 AU	350.182.002
	Adapter set • Synthetic carrying/storage case with various adapters for connection high-pressure lifting bags on various air sources	UAS 10	350.582.050

Lifting Bags - Control Sets


image	description	model	art no
	Air control set • Synthetic orange carrying/storage case with control box, hoses, shut-off hose, pressure reducer and connection piece for air bottles 200 bar	HCS 10 U_200	350.582.435
	Air control set • Synthetic orange carrying/storage case with control box, hoses, shut-off hose, pressure reducer and connection piece for air bottles 300 bar	HCS 10 U_300	350.582.038
	Air control set • Synthetic orange carrying/storage case with control unit, hoses, shut-off hose, pressure reducer and connection piece for air bottles 200 bar	DCS 10 U_200	350.582.436
	Air control set • Synthetic orange carrying/storage case with control unit, hoses, shut-off hose, pressure reducer and connection piece for air bottles 300 bar	DCS 10 U_300	350.582.039